

FARRIS MATHEWS BRANAN
BOBANGO HELLEN & DUNLAP PLC

MEMPHIS DOWNTOWN
One Commerce Square, Suite 2000
Memphis, Tennessee 38103
Telephone 901-259-7100
Facsimile 901-259-7150

Kristi Stout
kstout@farrismathews.com

ATTORNEYS AT LAW
HISTORIC CASTNER-KNOTT BUILDING
618 CHURCH STREET, SUITE 300
NASHVILLE, TN 37219
2005 SEP 11 PM 3:18
N.A. DOCKET ROOM

(615) 726-1200 telephone
(615) 726-1776 facsimile

MEMPHIS EAST
1100 Ridgeway Loop Road, Suite 400
Memphis, Tennessee 38120
Telephone 901-259-7120
Facsimile 901-259-7180

Reply to
Nashville Office

September 14, 2005

Chairman Ron Jones
Attn. Sharla Dillon
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505

VIA HAND DELIVERY


RE: (IRM Utility, Inc. Petition to amend Certificate of Convenience and Necessity, Sterling Springs Docket No. 05-00055) Corrected Commercial Rate Sheet & Territory Summary

Dear Chairman Jones:

Please find enclosed an original and 13 copies of the Corrected Commercial Rate Sheet & Territory Summary. Please date and stamp a copy for our records. Thank you for your assistance regarding this matter. If you have any questions, or if I may be of further assistance, please do not hesitate to contact me.

Very truly yours,

FARRIS MATHEWS BRANAN
BOBANGO HELLEN & DUNLAP, PLC



Kristi Stout

IRM Utility, Inc.
Sewer Systems with Commercial Customers or Special Contracts

System	County
Cove Mountain Realty – 03-00467 – Special Contract	Sevier
Valley Mart Exxon – 03-00467 – Special Contract	Sevier
Lot 23, The River Club – 04-00152 – Special Contract	Knox
Wild Briar Ridge – 05-00056 (Pending) – Special Contract**	Sevier
Sterling Springs – 05-00055 (Pending) – Special Contract**	Sevier

** Residential rate of \$35.11/month will apply unless the owner rents the unit to the public for any portion of the year. In this case, the commercial rate will apply and be determined according to the approved tariff rate sheet, based on total projected gallons per day (See commercial tariff sheet) Billings for service shall be sent to and remain the responsibility of the owner of the unit